





[Volver al Índice](#)



RSR

Halógenos

MR11
12V AC/DC T.P.
MR11
**12 V.
DC/AC**
**TERMO-
PLÁSTICO**
≥0,50
>80
80
**SMD
2835**
38°
DIFUSOR "LUPA"




1/10/100

CÓDIGO	CCT (°K)	POTENCIA (W)	LÚMENES (lm)	P.V.P
1003	3000	2 W	140 lm	9,45 €
1004	4500			
1006	6000			

MR16
TERMOPLÁSTICO
MR16
**12 V.
DC/AC**
**TERMO-
PLÁSTICO**
≥0,50
>80
80
**SMD
2835**
110°
DIFUSOR OPALIZADO




1/10/100

CÓDIGO	CCT (°K)	POTENCIA (W)	LÚMENES (lm)	P.V.P
1073	3000	7 W	500 lm	7,50 €
1074	4500			
1076	6000			

MR16
TERMOPLÁSTICO
MR16
**12 V.
DC/AC**
**TERMO-
PLÁSTICO**
≥0,50
>80
80
**SMD
2835**
38°
DIFUSOR "LUPA"


1/10/100

CÓDIGO	CCT (°K)	POTENCIA (W)	LÚMENES (lm)	P.V.P
1063	3000	7 W	500 lm	6,90 €
1064	4500			
1066	6000			

GU10 TERMOPLÁSTICO


1/10/100

DIFUSOR OPALIZADO



BASE	VOLTAJE	MATERIAL	RF.	C.R.I.	Lm/W	TIPO LED	APERTURA
GU10	220-240 Vac	TERMO-PLÁSTICO	≥0,50	>80	80	SMD 2835	110°

CÓDIGO	CCT (°K)	POTENCIA (W)	LÚMENES (lm)	P.V.P
1093	3000	3 W	240 lm	1,80 €
1094	4500			
1096	6000			
1103	3000	5 W	320 lm	2,90 €
1104	4500			
1106	6000			
1113	3000	7 W	500 lm	3,40 €
1114	4500			
1116	6000			

DIMMABLE - REGULABLE



CÓDIGO	CCT (°K)	POTENCIA (W)	LÚMENES (lm)	P.V.P
1123D	3000	8 W	800 lm	4,95 €
1124D	4500			
1126D	6000			



1/10/100



DIFUSOR "LUPA"


BASE	VOLTAJE	MATERIAL	RF.	C.R.I.	Lm/W	TIPO LED	APERTURA
GU10	220-240 Vac	TERMO-PLÁSTICO	≥0,50	>80	80	SMD 2835	38°

CÓDIGO	CCT (°K)	POTENCIA (W)	LÚMENES (lm)	P.V.P
1143	3000	7 W	550 lm	3,90 €
1144	4500			
1146	6000			
1163	3000	8 W	700 lm	5,95 €
1164	4500			
1166	6000			
1131	Rojos	5 W	400 lm	5,95 €
1138	Verde			
1137	Azul			

G4
TERMOPLÁSTICO

BASE	VOLTAJE	MATERIAL	RF.	C.R.I.	Lm/W	TIPO LED	APERTURA
G4	12 V. Vac/Vdc	TERMO- PLÁSTICO	≥0,50	>80	75	SMD 2835	300°





1/10/100/500



CÓDIGO	CCT (°K)	POTENCIA (W)	LÚMENES (lm)	P.V.P
1213	3000	3 W	220 lm	4,40 €
1214	4500			
1216	6000			

G9
TERMOPLÁSTICO

BASE	VOLTAJE	MATERIAL	RF.	C.R.I.	Lm/W	TIPO LED	APERTURA
G9	220- 240 Vac	TERMO- PLÁSTICO	≥0,50	>80	75	SMD 2835	300°





1/10/100/500


L=48 mm

CÓDIGO	CCT (°K)	POTENCIA (W)	LÚMENES (lm)	P.V.P
1303	3000	3 W	220 lm	4,40 €
1304	4500			
1306	6000			

G9
TERMOPLÁSTICO

BASE	VOLTAJE	MATERIAL	RF.	C.R.I.	Lm/W	TIPO LED	APERTURA
G9	220- 240 Vac	TERMO- PLÁSTICO	≥0,50	>80	75	SMD 2835	300°



1/10/100/500


L=60 mm

CÓDIGO	CCT (°K)	POTENCIA (W)	LÚMENES (lm)	P.V.P
--------	----------	--------------	--------------	-------


DIMMABLE - REGULABLE




1313D	3000	5 W	375 lm	6,65 €
1314D	4500			
1316D	6000			

BASE	VOLTAJE	MATERIAL	RF.	C.R.I.	Lm/W	TIPO LED	APERTURA
G9	220-240 Vac	CERÁMICA	≥0,50	>80	80	SMD 2835	360°

G9 CERÁMICA BLISTER 2





CÓDIGO	CCT (°K)	POTENCIA (W)	LÚMENES (lm)	P.V.P
1343.1	3000	5 W	420 lm	8,00 €
1344.1	4500			
1345.1	5000			
1346.1	6000			




BLISTER 2 UNIDADES

BASE	VOLTAJE	MATERIAL	RF.	C.R.I.	Lm/W	TIPO LED	APERTURA
G9	220-240 Vac	CERÁMICA	≥0,50	>80	80	SMD 2835	360°

G9 CERÁMICA





Ø16 mm x 51 mm

CÓDIGO	CCT (°K)	POTENCIA (W)	LÚMENES (lm)	P.V.P
1343	3000	5 W	420 lm	4,95 €
1344	4500			
1346	6000			

DIMMABLE - REGULABLE



CÓDIGO	CCT (°K)	POTENCIA (W)	LÚMENES (lm)	P.V.P
1343D	3000	5 W	420 lm	11,90 €
1344D	4500			
1346D	6000			





1/10/100/500

COMPATIBLE CON 90% REGULADORES

BASE	VOLTAJE	MATERIAL	RF.	C.R.I.	Lm/W	TIPO LED	APERTURA
G9	220-240 Vac	CERÁMICA	≥0,50	>80	80	SMD 2835	360°


G9 CERÁMICA






Ø 22 mm x 58 mm

CÓDIGO	CCT (°K)	POTENCIA (W)	LÚMENES (lm)	P.V.P
1353D	3000	10 W	800 lm	12,95 €
1354D	4500			
1356D	6000			

DIMMABLE - REGULABLE




1/10/100/500

R7S
LINEAL


1/10/100/400


Ø 20 x 78 mm

CÓDIGO	CCT (°K)	POTENCIA (W)	LÚMENES (lm)	P.V.P
1423	3000	7 W	560 lm	11,50 €
1424	4500			
1426	6000			



1/10/100/400



BASE	VOLTAJE	MATERIAL	RF.	C.R.I.	Lm/W	TIPO LED	APERTURA
R7S	220-240 Vac	TERMO-PLÁSTICO	≥0,50	>80	80	SMD 2835	360°


Ø 20 x 118 mm

CÓDIGO	CCT (°K)	POTENCIA (W)	LÚMENES (lm)	P.V.P
1443	3000	12 W	1000 lm	13,95 €
1444	4500			
1446	6000			




QR111
ALUMINIO

BASE	VOLTAJE	MATERIAL	RF.	C.R.I.	Lm/W	TIPO LED	APERTURA
GX53	12 V. Vac/Vdc	ALUMINIO PLÁSTICO	≥0,97	>80	52	COB	40°




CÓDIGO	CCT (°K)	POTENCIA (W)	LÚMENES (lm)	P.V.P
1513	2700	15 W	780 lm	29,00 €
1514	4500			
1516	6000			



1/48

QR111
**ALUMINIO
DIMMABLE**


BASE	VOLTAJE	MATERIAL	RF.	C.R.I.	Lm/W	TIPO LED	APERTURA
GU10	240 Vac	ALUMINIO	≥0,97	>80	52	COB	40°



DIMMABLE - REGULABLE




CÓDIGO	CCT (°K)	POTENCIA (W)	LÚMENES (lm)	P.V.P
1593D	2700	15 W	780 lm	38,95 €
1594D	4000			
1596D	6000			



1/48

QR111
ALUMINIO + DRIVER


BASE	VOLTAJE	MATERIAL	RF.	C.R.I.	Lm/W	TIPO LED	APERTURA
---	240 Vac	ALUMINIO	≥0,	>80	54	COB	24° 36°


ANGULO=24°



CÓDIGO	CCT (°K)	POTENCIA (W)	LÚMENES (lm)	P.V.P
1523	2700	20 W	2400 lm	39,00 €
1524	4200			
1526	5000			

ANGULO=36°

CÓDIGO	CCT (°K)	POTENCIA (W)	LÚMENES (lm)	P.V.P
1533	2700	20 W	2400 lm	39,00 €
1534	4200			
1536	5000			


CREE
 LEDs

1/24



PAR20
TERMOPLÁSTICO


1/50



BASE	VOLTAJE	MATERIAL	RF.	C.R.I.	Lm/W	TIPO LED	APERTURA
E27	220-240 Vac	ALUMINIO PLÁSTICO	≥0,50	>80	80	SMD 2835	40°

CÓDIGO	CCT (°K)	POTENCIA (W)	LÚMENES (lm)	P.V.P
1603	3000	8 W	600 lm	9,90 €
1604	4500			
1606	6000			



PAR30
TERMOPLÁSTICO


1/30



BASE	VOLTAJE	MATERIAL	RF.	C.R.I.	Lm/W	TIPO LED	APERTURA
E27	220-240 Vac	ALUMINIO PLÁSTICO	≥0,55	>80	75	SMD 2835	40°

CÓDIGO	CCT (°K)	POTENCIA (W)	LÚMENES (lm)	P.V.P
1623	3000	11 W	825 lm	11,95 €
1624	4500			
1626	6000			

PAR38
TERMOPLÁSTICO


1/30




IP65



BASE	VOLTAJE	MATERIAL	RF.	C.R.I.	Lm/W	TIPO LED	APERTURA
E27	220-240 Vac	TERMO PLÁSTICO	≥0,55	>80	75	SMD 2835	40°

CÓDIGO	CCT (°K)	POTENCIA (W)	LÚMENES (lm)	P.V.P
1643	3000	14 W	1050 lm	16,95 €
1644	4500			
1646	6000			
1657	AZUL	14 W	1050 lm	18,95 €
1658	ROJO			
1659	VERDE			



PAR56
12Vac/dc PISCINA


1/12



IP68

RGB



BASE	VOLTAJE	MATERIAL	RF.	C.R.I.	Lm/W	TIPO LED	APERTURA
--	12Vac-12Vdc	ALUMINIO CRISTAL	≥0,97	>80	80	SMD 2835	120°

CÓDIGO	CCT (°K)	POTENCIA (W)	LÚMENES (lm)	P.V.P
1663	3000	18 W	1550 lm	69,95 €
1664	4500			
1666	6000			

1667	AZUL	18 W	350 lm	80,00 €
1668	VERDE		1200 lm	



1669	RGB	18 W		95,00 €
------	-----	-------------	--	---------

CÓDIGO	CCT (°K)	POTENCIA (W)	LÚMENES (lm)	P.V.P
1673	3000	24 W	2000 lm	85,95 €
1674	4500			
1676	6000			

1679	RGB	24 W	—	104,99 €
------	-----	-------------	---	----------

CÓDIGO	CCT (°K)	POTENCIA (W)	LÚMENES (lm)	P.V.P
1683	3000	30 W	2500 lm	105,95 €
1684	4500			
1686	6000			

1689	RGB	30 W	—	134,99 €
------	-----	-------------	---	----------


FOCO SUP. PISCINA
12Vac/dc PISCINA


1/12



IP68

RGB



BASE	VOLTAJE	MATERIAL	RF.	C.R.I.	Lm/W	TIPO LED	APERTURA
—	12Vac-12Vdc	ALUMINIO CRISTAL	≥0,50	>80	90	SMD 2835	180°

CÓDIGO	CCT (°K)	POTENCIA (W)	LÚMENES (lm)	P.V.P
1693	3000	24 W	2000 lm	114,99 €
1696	6000			

1699	RGB	24 W	—	129,99 €
------	-----	-------------	---	----------

